



Authorization to Discharge Under the National Pollutant Discharge Elimination System (NPDES)

This NPDES permit is issued in compliance with the provisions of the Federal Water Pollution Control Act (33-U.S.C. Secs. 1251 *et. seq.* as amended to date), the Nebraska Environmental Protection Act (Neb. Rev. Stat. Secs. 81-1501 *et. seq.* as amended to date), and the Rules and Regulations promulgated pursuant to these Acts. The facility and outfall(s) identified in this permit are authorized to discharge wastewater and are subject to the limitations, requirements, prohibitions, and conditions set forth herein. This permit regulates and controls the release of pollutants in the discharge(s) authorized herein. This permit does not relieve permittees of other duties and responsibilities under the Nebraska Environmental Protection Act, as amended, or established by regulations promulgated pursuant thereto.

NPDES Permit No.	NE0050890
NDEE ID.	4248
Permittee	Beaver Lake Association
Facility Name	Beaver Lake Association WWTF
Facility Location	9120 Rock Bluff Road, Plattsmouth, NE 68048
Facility Mailing Address	9410 Clubhouse Circle, Plattsmouth, NE 68048
Latitude/Longitude	40.9240 °N, 95.8686 °W
Legal Description	SE ¼, NW ¼, Section 17, Township 11N, Range 14E, Cass County, NE
Receiving Water	Rock Creek (Segment NE1-13700 in the Nemaha River Basin)
Effective Date	April 1, 2024
Expiration Date	March 31, 2029

Pursuant to the Delegation Memorandum dated July 1, 2019, and signed by the Director, the undersigned hereby executes this document on the behalf of the Director.

Signed this 26th day of March, 2024

Steven M. Goans
Deputy Director

Permit Action Items

The following is a brief summary of action items pertaining to this permit that are required of the Beaver Lake Association and the Nebraska Department of Environment and Energy (NDEE). The summary is schedule of planned items for the facility. See the permit and fact sheet for more specific information on the permit conditions.

Daily

- Monitor Outfall 001 for flow.

Monthly

- Sample Outfall 001 for pH, temperature, TSS, CBOD, ammonia, and *E. coli* (May to September).

Quarterly

- Discharge monitoring reports (DMRs) must be submitted electronically, see Appendix A for schedule.
- Sample Outfall 001 for total phosphorus and total nitrogen.

Annually

- If sludge or biosolids are land applied, sampling must be performed for biosolids according to Table 5.
- Sample the influent for pH, TSS, and CBOD; flow must be calculated the same day sampling occurs.

Every 5 Years

- NDEE will conduct a compliance inspection of the facility.
- The Beaver Lake Association must submit a NPDES POTW wastewater application to the Department 180 days prior to permit expiration.
- Three times per permit term, the facility shall conduct effluent testing according to 40 CFR Section 122.21(j), see the attached guidance document for more information; provide the results with the NPDES POTW wastewater application.

Table of Contents

Permit Action Items	2
Part I. Discharge Limits and Monitoring Requirements for Outfall 001.....	4
A. Non-seasonal Limits and Monitoring Requirements.....	4
B. Seasonal Requirements	5
C. Seasonal Requirements for <i>Escherichia coli</i>	5
Part II. Influent Requirements.....	5
Part III. Biosolids Monitoring Requirements.....	6
A. Approval.....	6
B. Noncompliance Reporting Requirements	6
C. Withdrawal of Site Approval(s).....	6
D. Method Detection Limit Reporting Requirements.....	7
Part IV. Other Requirements and Conditions.....	8
A. Requirements for Removal of CBOD and TSS	8
B. Narrative Limits, Discharges authorized under this permit	8
C. Certified Operator Requirement.....	8
D. Effluent Testing Requirements for Reapplication.....	8

Appendix A – *Standard Conditions Applicable to all NPDES and NPP Permits*

Attachment 1 – *Guidance for Conducting Reapplication Sampling for Publicly Owned Treatment Works*

Part I. Discharge Limits and Monitoring Requirements for Outfall 001

The discharge of treated sanitary wastewater from Outfall 001, final effluent to Rock Creek, is authorized and shall be monitored and limited as specified in the tables below. Monitoring shall be conducted by sampling after all treatment processes and prior to discharge to the receiving stream, unless an alternative or more specific monitoring point is specified by the NDEE. Sampling directly out of the lagoon is prohibited unless the sample is used for the purpose of process control.

A. Non-seasonal Limits and Monitoring Requirements

Table 1: Discharge Limits and Monitoring Requirements						
Parameters	Storet #	Units	Discharge Limits		Monitoring Frequency	Sample Type
			Monthly Average	Daily Maximum		
Flow	50050	MGD	Report	Report	Daily	Measured or Calculated
Temperature	00011	°F	Report	Report	Monthly	Grab ^(a)
Total Nitrogen	00600	mg/L	Report	Report	Quarterly	24-Hour Composite
Total Phosphorus	00665	mg/L	Report	Report	Quarterly	24-Hour Composite
Parameters	Storet #	Units	Discharge Limits		Monitoring Frequency	Sample Type
			Monthly Average	Weekly Average		
Carbonaceous Biochemical Oxygen Demand, (5-Day)	80082	mg/L	25.0	40.0	Monthly	24-Hour Composite
		kg/day	41.64	66.62		
Total Suspended Solids	00530	mg/L	30.0	45.0	Monthly	24-Hour Composite
		kg/day	49.96	74.94		
Parameters	Storet #	Units	Discharge Limits		Monitoring Frequency	Sample Type
			Daily Minimum	Daily Maximum		
pH	00400	S.U.	6.5	9.0	Monthly	Grab ^(a)

^(a) Analysis shall occur within 15 minutes of sample collection.
Abbreviations: MGD – million gallons per day °F – degrees Fahrenheit mg/L – milligrams per liter
 kg/day – kilograms per day S.U. – standard units

B. Seasonal Requirements

Table 2: Seasonal Discharge Limits and Monitoring Requirements						
Parameters	Storet #	Units	Discharge Limits		Monitoring Frequency	Sample Type
			Monthly Average	Daily Maximum		
Spring Ammonia (March 1 – May 31)	00610	mg/L	3.83	7.69	Monthly	24-Hour Composite
		kg/day	2.52	5.06		
Summer Ammonia (June 1 – Oct. 31)	00610	mg/L	2.31	4.63	Monthly	24-Hour Composite
		kg/day	1.76	3.53		
Winter Ammonia (Nov. 1 – Feb. 28 [29])	00610	mg/L	3.76	7.54	Monthly	24-Hour Composite
		kg/day	2.65	5.32		

Abbreviations: mg/L – milligrams per liter kg/day – kilograms per day

C. Seasonal Requirements for *Escherichia coli*

Table 3: Recreation Season ^(a) Discharge Limits and Monitoring Requirements for <i>E. coli</i>						
Parameters	Storet #	Units	Discharge Limits		Monitoring Frequency	Sample Type
			Monthly Geo Mean	Daily Maximum		
<i>E. coli</i>	31648	#/100 ml	126	298	Monthly	Grab ^(b)

^(a) Recreational season limits apply during May 1 through September 30.
^(b) *E. coli* has an 8-hour maximum holding time. Sample analysis should begin as soon as possible after receipt; sample incubation must be started no later than 8 hours from time of collection.
 Abbreviations: #/100 ml – number of colonies per 100 milliliters

Part II. Influent Requirements

To comply with these monitoring requirements, samples shall be taken at the headworks of the wastewater treatment facility prior to the treatment system. Influent wastewater shall be monitored as specified below.

Table 4: Monitoring Requirements for Influent Wastewater					
Parameters	Storet #	Units	Discharge Limits	Monitoring Frequency	Sample Type
			Value		
Flow	50050	MGD	Report	Annually ^(a)	Measured or Calculated
Carbonaceous Biochemical Oxygen Demand	80082	mg/L	Report	Annually	24-Hour Composite
Total Suspended Solids	00530	mg/L	Report	Annually	24-Hour Composite
pH	00400	S.U.	Report	Annually	Grab ^(b)

^(a) Influent flow must be monitored on the same day as sample collection for CBOD, TSS, and pH.
^(b) Analysis shall occur within 15 minutes of sample collection.
 Abbreviations: MGD – million gallons per day mg/L – milligrams per liter S.U.– Standard Units

Part III. Biosolids Monitoring Requirements

The sludge disposal requirements of this permit are set forth below. The disposal of domestic sewage sludge is subject to the requirements of 40 CFR Part 503. While 40 CFR 503 and allows the NDEE to administer sludge requirements under State law, the Federal sludge program is not delegated to the State. The Federal regulatory program is administered by EPA Region VII. The permittee should contact EPA Region VII to ensure they are in compliance with this Federal regulatory program.

A. Approval

Submission of the Sludge Application Form, available on the Department website, constitutes notice that the Wastewater Treatment Facility intends to land apply sludge and requests approval by the NDEE. The applicant is eligible to receive automatic approval provided the applicant indicates compliance with and understanding of the regulations and conditions contained in 40 CFR Part 503, and when all of the conditions set forth below are met, unless the Department acts to provide a conditional or circumstantial approval.

1. Sludge application is in compliance with the Federal 503 regulations, including all requirements related to vector and pathogen control.
2. Sludge is not applied within 200 feet of any actively used groundwater well, except for those used exclusively for irrigation.
3. Sludge is not being applied within 1000 feet of any public drinking water supply well.
4. Application sites are not subject to public access.
5. Retain a listing for review by the NDEE of land application sites used during the year and their legal descriptions plus total tonnage of sludge that was land-applied or disposed of during the year.

B. Noncompliance Reporting Requirements

The permittee shall report to the NDEE any instance(s) of noncompliance with 40 CFR Part 503. This noncompliance report shall be submitted to the NDEE no later than 7 days after the permittee becomes aware of the noncompliance. The noncompliance report shall contain the basic information required and specified in Appendix A of this NPDES permit.

C. Withdrawal of Site Approval(s)

The Department may withdraw site approval(s) for any of the following:

1. Failure to comply with the regulations contained in 40 CFR Part 503.
2. Potential risks or known impacts to surface or ground water quality.
3. Potential risks to the environment.
4. Potential risks to public health and / or welfare.
5. Other site specific or facility specific considerations.

D. Method Detection Limit Reporting Requirements

Sludge shall be monitored as specified below. A representative sample shall be collected and analyzed prior to application. A representative sample is defined as a sample that is a composite of several sludge samples within the same batch.

Table 5: Sludge Monitoring Requirements					
Parameters	Storet #	Units	Sludge Reporting	Measurement Frequency	Sample Type
pH	00400	S.U.	Report	Annually	Composite
Nitrate Nitrogen, Dry Weight	00621	mg/kg	Report	Annually	Composite
Selenium, Total Dry Weight	49031	mg/kg	Report	Annually	Composite
Arsenic, Total Dry Weight	49565	mg/kg	Report	Annually	Composite
Molybdenum, Dry Weight	78465	mg/kg	Report	Annually	Composite
Zinc, Dry Weight	78467	mg/kg	Report	Annually	Composite
Lead, Dry Weight	78468	mg/kg	Report	Annually	Composite
Nickel, Dry Weight	78469	mg/kg	Report	Annually	Composite
Nitrogen, Total Dry Weight	78470	mg/kg	Report	Annually	Composite
Mercury, Dry Weight	78471	mg/kg	Report	Annually	Composite
Chromium, Dry Weight	78473	mg/kg	Report	Annually	Composite
Copper, Total Dry Weight	78475	mg/kg	Report	Annually	Composite
Cadmium, Total Dry Weight	78476	mg/kg	Report	Annually	Composite
Solids, Sludge, Total Dry Weight	78477	kg	Report	Annually	Composite
Ammonia, Total Dry Weight	82294	mg/kg	Report	Annually	Composite
Abbreviations: S.U. – standard units mg/kg – milligrams per kilograms kg – kilograms					

Part IV. Other Requirements and Conditions

A. Requirements for Removal of CBOD and TSS

The monthly average (equivalent to 30-day average) percent removal of CBOD and TSS by the WWTF shall not be less than 85%.

B. Narrative Limits, Discharges authorized under this permit

1. Shall not be toxic to aquatic life in surface waters of the State outside the mixing zones allowed in NDEE Title 117, *Nebraska Surface Water Quality Standards*,
2. Shall not contain pollutants at concentrations or levels that produce objectionable films, colors, turbidity, deposits, or noxious odors in the receiving stream or waterway, and
3. Shall not contain pollutants at concentrations or levels that cause the occurrence of undesirable or nuisance aquatic life in the receiving stream.

C. Certified Operator Requirement

This facility is to be operated and maintained by operators certified in accordance with NDEE Title 197, *Rules and Regulations for the Certification of Wastewater Treatment Facility Operators in Nebraska*.

D. Effluent Testing Requirements for Reapplication

Prior to permit renewal, the Beaver Lake Association WWTF must complete the sampling and analysis requirements set forth in 40 CFR Section 122.21(j). The sampling and analysis results must be submitted with the NPDES permit application. Testing must be seasonally representative and a minimum of three times per permit term. The facility shall conduct the sampling required for all publicly owned treatment works and the additional monitoring for facilities discharging more than 0.1 MGD, but less than 1 MGD. Existing data may be used, if available, in lieu of sampling solely for the purpose of the application renewal. Many of the testing requirements are included with the permit requirements. Guidance is available on the Department website with the NPDES guidance documents and included as Attachment 1 - *Guidance for Conducting Reapplication Sampling for Publicly Owned Treatment Works*.

Appendix A

Standard Conditions Applicable to all NPDES and NPP Permits

The following conditions apply to all NDEE NPDES and NPP permits. These conditions shall not preempt any more stringent requirements found elsewhere in this permit. Please refer to the permit specific conditions located elsewhere in this permit for requirements specific to this permit. Timeframes and requirements specified elsewhere in this permit override these Standard Conditions. Unless specified, these standard conditions are set forth in EPA's 40 CFR – *Code of Federal Regulations*.

Table of Contents for Appendix A

Section	Page
1. Information Available	2
2. Duty to Comply	2
3. Violations of this Permit	2
4. Duty to Reapply	2
5. Need to Halt or Reduce Activity Not a Defense	2
6. Duty to Mitigate	2
7. Proper Operation and Maintenance	2
8. Permit Actions	2
9. Property Rights	3
10. Duty to Provide Information	3
11. Inspection and Entry	3
12. Signatory Requirements	3
13. Monitoring and Records	4
14. Reporting Requirements	5
15. Bypass	7
16. Upset	9
17. Other Rules and Regulations Liability	9
18. Severability	9
19. Other Conditions that Apply to NPDES and NPP Permits	9
20. Definitions	10
21. Abbreviations	12

1. Information Available

All permit applications, fact sheets, permits, discharge data, monitoring reports, and any public comments concerning such shall be available to the public for inspection and copying, unless such information about methods or processes is entitled to protection as trade secrets of the owner or operator under Neb. Rev. Stat. 81-1527, (Reissue 1999) and NDEE Title 115 - *Rules of Practice and Procedure*, Chapter 2.

2. Duty to Comply

- a. The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Federal Clean Water Act (CWA) and the applicable State Statutes and Regulations and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or denial of a permit renewal application.
- b. The permittee shall comply with effluent standards or prohibitions established under section 307(a) of the CWA for toxic pollutants and with standards for sewage sludge use or disposal established under section 405(d) of the CWA within the time provided in the regulations that establish these standards or prohibitions or standards for sewage sludge use or disposal, even if the permit has not yet been modified to incorporate the requirement.

3. Violations of this Permit

- a. Any person who violates this permit may be subject to penalties and sanctions as provided by the CWA.
- b. Any person who violates this permit may be subject to penalties and sanctions as provided by the Nebraska Environmental Protection Act.

4. Duty to Reapply

If the permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the permittee must apply for and obtain a new permit.

5. Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

6. Duty to Mitigate

The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment.

7. Proper Operation and Maintenance

The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance also include effective performance based on designed facility removals, effective management, adequate operator staffing and training, adequate process controls, adequate funding that reflects proper user fee schedules, adequate laboratory controls and appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems which are installed by a permittee only when the operation is necessary to achieve compliance with the conditions of this permit.

8. Permit Actions

- a. This permit may be modified, revoked, and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.

- b. This permit may be reopened and modified after public notice and opportunity for a public hearing for reasons specified in 40 CFR Part 124.12.
- c. The attachments to this permit may be modified without a formal modification of the permit.

9. Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege.

10. Duty to Provide Information

The permittee shall furnish to the Director, within a reasonable time, any information which the Director may request to determine whether cause exists for modifying, revoking, and reissuing, or terminating this permit, or to determine compliance with this permit. The permittee shall also furnish to the Director upon request, copies of records required to be kept by this permit.

11. Inspection and Entry

The permittee shall allow the Director, or an authorized representative (including an authorized contractor acting as a representative of the Administrator), upon presentation of credentials and other documents as may be required by law, to:

- a. Enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c. Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
- d. Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the CWA, any substances, or parameters at any location.

12. Signatory Requirements

- a. All applications, reports, or information submitted to the Director shall be signed and certified.
- b. All permit applications shall be signed by a certifying official as follows:
 - i) *For a corporation*; by a responsible corporate officer. For the purpose of this section, a responsible corporate officer means:
 - A president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation; or
 - The manager of one or more manufacturing, production, or operating facilities, provided, the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
 - ii) *For a partnership or sole proprietorship*; by a general partner or the proprietor.
 - iii) *For a municipality, State, Federal, or other public agency*; by either a principal executive officer or ranking elected official. For purposes of this section, a principal executive officer of a Federal agency includes:
 - The chief executive officer of the agency, or

- A senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrators of EPA).
- c. All reports required by permits, and other information requested by the Director shall be signed by a person described above in section 12.b, or by a duly authorized representative of that person. A person is a duly authorized representative only if:
 - i) The authorization is made in writing by a person described in section 12.b;
 - ii) The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity such as the position of plant manager, operator of a well or a well field, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the company, (a duly authorized representative may thus be either a named individual or any individual occupying a named position), and;
 - iii) The written authorization is submitted to the Director on the NPDES Signatory Authorization Form.
 - d. *Changes to Authorization.* If an authorization of sections 12.b or 12.c is no longer accurate because a different individual or position has responsibility than previously reported, a new Signatory Authorization Form satisfying the requirements of this section must be submitted to the Director prior to or together with any reports, information, or applications to be signed by a certifying official or authorized representative.
 - e. *Certification.* All applications, reports and information submitted as a requirement of this permit shall contain the following certification statement:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. The information submitted is, to the best of my knowledge and belief, true, accurate, and complete.
 - f. *False Statement, Representation, or Certification.*
 - i) The CWA provides that any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or noncompliance shall, upon conviction, be punished by a fine of not more than \$10,000 per violation, or by imprisonment for not more than 6 months per violation, or by both.
 - ii) The Nebraska Environmental Protection Act provides criminal penalties and sanctions for false statement, representation, or certification in any application, label, manifest, record, report, plan, or other document required to be filed or maintained by the Environmental Protection Act, the Integrated Solid Waste Management Act, the Livestock Waste Management Act or the rules or regulations adopted and promulgated pursuant to such acts.

13. Monitoring and Records

- a. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
- b. The permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least 3 years from the date of the sample, measurement, report or application. If the permit has requirements related to sewage sludge use and disposal activities, corresponding records must be retained for a period of at least five years (or longer as required by 40 CFR Part 503). This period may be extended by request of the Director at any time.
- c. Records of monitoring information shall include:
 - i) The date(s), exact place, time and methods of sampling or measurements;
 - ii) The individual(s) who performed the sampling or measurements;

- iii) The date(s) analyses were performed;
 - iv) The individual(s) who performed the analyses;
 - v) The analytical techniques or methods used; and
 - vi) The results of such analyses.
- d. Monitoring must be conducted according to test procedures approved under 40 CFR Subchapters N – Effluent Guidelines and Standards Parts 425 to 471 or O – Sewer Sludge Parts 501 and 503.
- e. *Falsifies, Tamper, or Knowingly Renders Inaccurate.*
- i) On actions brought by EPA, the CWA provides that any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained under this permit shall, upon conviction: be punished by a fine of not more than \$10,000, or by imprisonment for not more than 2 years, or both. If a conviction of a person is for a violation committed after a first conviction of such person under this section, punishment is a fine of not more than \$20,000 per day of violation, or by imprisonment of not more than 4 years, or both.
 - ii) On action brought by the State, The Nebraska Environmental Protection Act provides that any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained under this permit shall, upon conviction, be punished pursuant to Neb. Stat. 81-1508.01.
- f. The Department may require increases in the monitoring frequencies set forth in this permit to address new information concerning a discharge, evidence of potential noncompliance, suspect water quality in a discharge, evidence of water quality impacts in the receiving stream or waterway, or other similar concerns. The Department may require monitoring for additional parameters not specified in this permit to address new information concerning a discharge, evidence of potential noncompliance, suspect water quality in a discharge, evidence of water quality impacts in the receiving stream or waterway, or other similar concerns.

14. Reporting Requirements

- a. *Planned Changes.* The permittee shall give notice to the Director as soon as possible of any planned physical alterations or additions to the permitted facility. Notice is required only when:
- i) The alteration or addition to a permitted facility may meet one of the criteria for determining whether a facility is a new source in 40 CFR Section 122.41(l)(1)(i).
 - ii) The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements under 40 CFR Section 122.41(l)(1)(ii).
 - iii) The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan. The sludge program is not delegated to the State so notification to the EPA Regional Administrator in addition to the State is required.
- b. *Anticipated Noncompliance.* The permittee shall give advance notice to the Director of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
- c. *Transfers.* This permit is not transferable to any person except after notice to the Director. The Director may require modification or revocation and reissuance of the permit to change the name of the permittee and incorporate such other requirements as may be necessary under 40 CFR Section 122.41(l)(3) in some cases, modification or revocation and reissuance is mandatory.
- d. *Discharge Monitoring Reports.*
- i) The NPDES Electronic Reporting Rule, published October 22, 2015, requires electronic reporting of NPDES information rather than the previously required paper-based reports from the permitted

facilities. According to 40 CFR Part 127 permittees that have reporting requirements must submit discharge monitoring reports (DMRs) electronically on EPA NetDMR, which is accessed via EPA's Central Data Exchange (CDX) located at cdx.epa.gov. The Department elected for EPA to be the initial recipient for DMRs.

- ii) Permittees may submit a request for an electronic reporting waiver to the Department if the facility is physically located in a geographic area that is identified as under-served for broadband internet by the Federal Communications Commission, or there are limitations regarding computer access. The request must document the conditions the permittee meets and provide evidence supporting the claims. The Department will either approve or deny this electronic reporting waiver request. The duration of a temporary waiver may not exceed 5 years, which is the normal period for an NPDES permit term. Temporary waivers may be granted for a one-time use for a single information submittal. A waiver may only be considered granted once written confirmation from the Department is received by the permittee. If waiver has been granted, submit DMRs on forms provided or specified by the Department.
- iii) Monitoring results shall be submitted on a quarterly basis using the reporting schedule set forth below, unless otherwise specified in this permit or by the Department.

<u>Monitoring Quarters</u>	<u>DMR Reporting Deadlines</u>
January – March	April 28
April – June	July 28
July – September	October 28
October – December	January 28

- iv) If the permittee monitors any pollutant more frequently than required by the permit using test procedures approved under 40 CFR Part 136, or another method required for an industry-specific waste stream under 40 CFR Subchapters N – Effluent Guidelines and Standards Parts 425 to 471 and O – Sewer Sludge Parts 501 and 503, the results of such monitoring shall be included in the calculation and reporting of the data submitted in the DMR or sludge reporting form specified by the Director or EPA Regional Administrator.
- v) Calculations for all limitations which require averaging of measurements shall utilize an arithmetic mean unless otherwise specified by the Director in the permit.
- vi) The minimum detection limit (MDL) is defined as the level at which the analytical system gives acceptable calibration points. If the analytical results are below MDL then the reported value on the DMR shall be a numerical value less than the MDL (e.g. <0.005).
- e. *Sludge or Biosolids.* For POTWs required to electronically submit Biosolids Annual Reporting to EPA Region VII, reports are due by February 19th of each year as implemented through 503 Sludge regulations. Submit the report using the NPDES eReporting Tool (NeT), which is accessed via EPA's Central Data Exchange (CDX) located at cdx.epa.gov.
- f. *Compliance Schedule.* Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 14 days following each schedule date.
- g. *Twenty-four Hour Reporting.*
 - i) The permittee shall report any noncompliance which may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A report shall also be provided within 5 days of the time the permittee becomes aware of the circumstances. The report shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance. A Noncompliance Report Form is provided on the Department website.
 - ii) For POTWs with noncompliance events related to combined sewer overflows, sanitary sewer overflows, or bypass events, these reports must include the data described in 14.g.i (with the

exception of time of discovery) as well as the type of event (combined sewer overflows, sanitary sewer overflows, or bypass events), type of sewer overflow structure (e.g., manhole, combined sewer overflow outfall), discharge volumes untreated by the treatment works treating domestic sewage, types of human health and environmental impacts of the sewer overflow event, and whether the noncompliance was related to wet weather. By or before December 2025, all reports related to combined sewer overflows, sanitary sewer overflows, or bypass events submitted in compliance with this section must be submitted electronically by the permittee to the Department, as defined in 40 CFR Section 127.2(b), in compliance with this section and 40 CFR Part 3 (including, in all cases, Subpart D to Part 3), Section 122.22, and 40 CFR Part 127. 40 CFR Part 127 is not intended to undo existing requirements for electronic reporting. Prior to this date, and independent of 40 CFR Part 127, permittees may be required to electronically submit reports related to combined sewer overflows, sanitary sewer overflows, or bypass events under this section by a particular permit or if required to do so by state law. The Director may also require permittees to electronically submit reports not related to combined sewer overflows, sanitary sewer overflows, or bypass events under this section.

- iii) The following shall be included as information which must be reported within 24 hours under this section:
 - Any unanticipated bypass which exceeds any effluent limitation in this permit.
 - Any upset which exceeds any effluent limitation in this permit.
 - Violation of a maximum daily discharge limitation for any of the pollutants listed by the Director in the permit to be reported within 24 hours.
- iv) The Director may waive the written report on a case-by-case basis for reports under this section if the oral report has been received within 24 hours.
- h. *Other Noncompliance.* The permittee shall report all instances of noncompliance not reported under section 14.g, at the time monitoring reports are submitted. The reports shall contain the information listed in 14.g; a Noncompliance Report Form is available on the Department website. As per 40 CFR Part 127, the Director may require permittees to electronically submit these reports.
- i. *Other Information.* Where the permittee becomes aware that it failed to submit any relevant facts in a permit application or submitted incorrect information in a permit application or in any report to the Director, it shall promptly submit such facts or information.
- j. *Noncompliance Report Forms.* Noncompliance Report Forms are available on the Department website and shall be submitted with or as the written noncompliance report. The submittal of a written noncompliance report does not relieve the permittee of any liability from enforcement proceedings that may result from the violation of permit or regulatory requirements.

15. Bypass

- a. *Bypass Not Exceeding Limitations.* The permittee may allow any bypass to occur which does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions of sections 15.c. and 15.d.
- b. *Notice.*
 - i) Anticipated Bypass – If the permittee knows in advance of the need for a bypass, it shall submit prior notice, if possible, at least ten days before the date of the bypass.
 - ii) Unanticipated Bypass – The permittee shall submit notice of an unanticipated bypass as required in section 14.g (24-hour reporting).
 - iii) No later than December 2025, all notices submitted in compliance with this section must be submitted electronically by the permittee to the Department or initial recipient, as defined in 40 CFR Section 127.2(b), in compliance with this section and 40 CFR Part 3 (including, in all cases, subpart D to Part 3), Section 122.22, and 40 CFR Part 127. Part 127 is not intended to undo existing requirements for electronic reporting. Prior to this date, and independent of Part 127, permittees may be required to report electronically if specified by a particular permit or if required to do so by state law.

- c. *Prohibition of Bypass.* Bypass is prohibited, and the Director may take enforcement action against a permittee for bypass, unless:
 - i) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage. Severe property damage means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production;
 - ii) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and
 - iii) The permittee submitted notices as required under section 15.b.
- d. The Director may approve an anticipated bypass, after considering its adverse effects, if the Director determines that it will meet the three conditions listed above in section 15.c.

16. Upset

- a. *Effect of an Upset.* An upset constitutes an affirmative defense to an action brought for noncompliance with such technology-based permit effluent limitations if the requirements of section 16.b. are met. No determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance, is final administrative action subject to judicial review.
- b. *Conditions Necessary for a Demonstration of Upset.* A permittee who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
 - i) An upset occurred, and that the permittee can identify the cause(s) of the upset;
 - ii) The permitted facility was at the time being properly operated;
 - iii) The permittee submitted notice of the upset as required in section 14.g (24-hour reporting); and
 - iv) The permittee complied with any remedial measures required under section 14.g.
- c. *Burden of Proof.* In any enforcement proceeding, the permittee seeking to establish the occurrence of an upset has the burden of proof.

17. Other Rules and Regulations Liability

The issuance of this permit in no way relieves the obligation of the permittee to comply with other rules and regulations of the Department.

18. Severability

If any provision of this permit is held invalid, the remainder of this permit shall not be affected.

19. Other Conditions that Apply to NPDES and NPP Permits

- a. *Land Application of Wastewater Effluent.* The permittee shall be permitted to discharge treated domestic wastewater effluent by means of land application in accordance with the regulations and standards set forth under Title 119, Chapter 4. The Wastewater Section of the Department must be notified in writing if the permittee chooses to land apply effluent.
- b. *Toxic Pollutants.* The permittee shall not discharge pollutants to waters of the state that cause a violation of the standards established in NDEE Titles 117 and 118. All discharges to surface waters of the state shall be free of toxic (acute or chronic) substances which alone or in combination with other substances, create conditions unsuitable for aquatic life outside the appropriate mixing zone.
- c. *Oil and Hazardous Substances/Spill Notification.* Nothing in this permit shall preclude the initiation of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties under Section 311 of the CWA. The permittee shall conform to the provisions set forth in NDEE Title 126 – *Rules*

and Regulations Pertaining to Management of Waste. If the permittee knows, or has reason to believe, that oil or hazardous substances were released at the facility and could enter waters of the state or any of the outfall discharges authorized in this permit, the permittee shall immediately notify the Department of a release of oil or hazardous substances. During Department office hours (i.e., 8:00 a.m. to 5:00 p.m., Monday through Friday, except holidays), notification shall be made to NDEE at telephone numbers (402) 471-2186 or (877) 253-2603 (toll free). When NDEE cannot be contacted, the permittee shall report to the Nebraska State Patrol for referral to the NDEE Immediate Response Team at telephone number (402) 479-4921. It shall be the permittee's responsibility to maintain current telephone numbers necessary to carry out the notification requirements set forth in this section.

- d. *Removed Substances.* Solids, sludge, filter backwash, or other pollutants removed in the course of treatment or control of wastewater shall be disposed of at a site and in a manner approved by the Department.
 - i) The disposal of nonhazardous industrial sludges shall conform to the standards established in or to the regulations established pursuant to 40 CFR Part 257.
 - ii) The disposal of sludge shall conform to the standards established in or to the regulations established pursuant to 40 CFR Part 503.
 - iii) If solids are disposed of in a licensed sanitary landfill, the disposal of solids shall conform to the standards established in NDEE Title 132 - *Integrated Solid Waste Management Regulations*.
- e. *Sewage Sludge.* Publicly owned treatment works (POTWs) shall dispose of sewage sludge in a manner that protects public health and the environment from any adverse effects which may occur from toxic pollutants as defined in Section 307 of the CWA.
- f. *Modification for Regulatory Limitations.* This permit may be modified or revoked and reissued to incorporate regulatory limitations established pursuant to 40 CFR Part 503.
- g. *Representative Sampling.* Samples and measurements taken as required within this permit shall be representative of the discharge. All samples shall be taken at the monitoring points specified in this permit and, unless otherwise specified, before the effluent joins or is diluted by any other waste stream, body of water, or substance. Monitoring points shall not be changed without notification to the Department and with the written approval of the Director
- h. *Sampling.*
 - i) Composite sampling shall be conducted in one of the following manners:
 - Continuous discharge - a minimum of one discrete aliquot collected every three hours;
 - Less than 24 hours - a minimum of hourly discrete aliquots or a continuously drawn sample shall be collected during the discharge; or
 - Batch discharge - a minimum of three discrete aliquots shall be collected during each discharge.
 - ii) Composite samples shall be collected in one of the following manners:
 - The volume of each aliquot must be proportional to either the waste stream flow at the time of sampling or the total waste stream flow since collection of the previous aliquot;
 - A number of equal volume aliquots taken at varying time intervals in proportion to flow;
 - A sample continuously collected in proportion to flow; and
 - Where flow proportional sampling is infeasible or non-representative of the pollutant loadings, the Department may approve the use of time composite samples.
 - iii) Grab samples shall consist of a single aliquot collected over a time period not exceeding 15 minutes.
 - iv) All sample preservation techniques shall conform to the methods adopted in 40 CFR Section 122.21(g)(7)(ii) unless:
 - In the case of sludge samples, alternative techniques are specified in 40 CFR Part 503; or
 - Other procedures are specified in this permit.

- i. *Flow Measurements.* Appropriate flow measurement devices and methods consistent with accepted scientific practices shall be used to ensure the accuracy and reliability of measurements. The devices shall be installed, calibrated and maintained to ensure the accuracy of the measurements. The accepted capability shall be consistent with that type of device. Devices selected shall be capable of measuring flows with a maximum deviation of +/- 10%. The amount of deviation shall be from the true discharge rates throughout the range of expected discharge volumes. Guidance can be obtained from the following references for the selection, installation, calibration, and operation of acceptable flow measurement devices:
 - “Water Measurement Manual,” U.S. Department of the Interior, Bureau of Reclamation, Third Edition, Revised Reprint, 2001.
(Available online at <http://www.usbr.gov/tsc/techreferences/mands/wmm/index.htm>)
 - “NPDES Compliance Flow Measurement Manual,” U.S. Environmental Protection Agency, Office of Water Enforcement, Publication MCD-77, September 1981, 147 pp.
(Available online at <http://www.epa.gov/nscep>, and enter ‘NPDES Compliance Flow Measurement Manual, Publication MCD-77’ in the search box)
- j. *Changes to Loading to POTWs.* All POTWs must provide adequate notice to the Director of the following:
 - i) Any new introduction of pollutants into the POTW from an indirect discharger which would be subject to Section 301 or 306 of CWA, if it were directly discharging those pollutants; and
 - ii) Any substantial change in the volume or character of pollutants being introduced into that POTW by a source introducing pollutants into the POTW at the time of issuance of the permit.
 - iii) For purposes of this section, adequate notice shall include information on the quality and quantity of effluent introduced into the POTW, and any anticipated impact of the change on the quantity or quality of effluent to be discharged from the POTW.

20. Definitions

Additional definitions are found under 40 CFR Section 125.58.

Administrator: The Administrator of the USEPA.

Aliquot: An individual sample having a minimum volume of 100 milliliters that is collected either manually or in an automatic sampling device.

Annually: Once every calendar year.

Bimonthly: Once every other month.

Biosolids: Sewage sludge that is used or disposed through land application, surface disposal, incineration, or disposal in a municipal solid waste landfill.

Biweekly: Once every other week.

Bypass: The intentional diversion of wastes from any portion of a treatment facility.

Daily Average: An effluent limitation that cannot be exceeded and is calculated by averaging the monitoring results for any given pollutant parameter obtained during a 24-hour day.

Department: Nebraska Department of Environment and Energy, or NDEE.

Director: The Director of the Nebraska Department of Environment and Energy.

Industrial Discharge: Wastewater that originates from an industrial process and/or is non-contact cooling water and/or is boiler blowdown.

Monthly Average: An effluent limitation that cannot be exceeded. It is calculated by averaging any given pollutant parameter monitoring results obtained during a calendar month.

Operator: A person (often the general contractor) designated by the owner who has day-to-day operational control and/or the ability to modify project plans and specifications related to the facility.

Owner: A person or party possessing the title of the land on which the activities will occur; or if the activity is for a lease holder, the party or individual identified as the lease holder; or the contracting government agency responsible for the activity.

Outfall: A discernible, confined and discrete conveyance, including but not limited to any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, or container from which pollutants are or may be discharged into Waters of the State.

Passive Discharge: A discharge from a POTW that occurs in the absence of an affirmative action and is not authorized by the NPDES permit (e.g., discharges due to a leaking valve, discharges from an overflow structure) and/or is a discharge from an overflow structure not designed as part of the POTW (e.g., discharges resulting from lagoon berm/dike breaches).

Publicly Owned Treatment Works (POTW): A treatment works as defined by Section 212 of the Clean Water Act (Public Law 100-4) which is owned by the state or municipality, excluding any sewers or other conveyances not leading to a facility providing treatment.

Semiannually: Twice every year.

Significant Industrial User (SIU): All industrial users subject to Categorical Pretreatment Standards or any industrial user that, unless exempted under 40 CFR Section 403.3(v), discharges an average of 25,000 gallons per day or more of process water; or contributes a process waste stream which makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the POTW; or is designated as such by the Director on the basis that the industrial user has a reasonable potential for adversely affecting the POTW's operation or for violating any National Pretreatment Standard or requirement.

Sludge: Any solid, semisolid, or liquid waste generated from a municipal, commercial, or industrial wastewater treatment plant, water supply treatment plant, or air pollution control facility, or any other such waste having similar characteristics and effect.

Total Toxic Organics (TTO): The summation of all quantifiable values greater than 0.01 milligrams per liter (mg/L) for toxic organic compounds that may be identified elsewhere in this permit. (If this term has application in this permit, the list of toxic organic compounds will be identified, typically in the Limitations and Monitoring Section(s) and/or in an additional Appendix or Attachment to this permit.)

Toxic Pollutant: Those pollutants or combination of pollutants, including disease causing agents, after discharge and upon exposure, ingestion, inhalation or assimilation into an organism, either directly from the environment or indirectly by ingestion through food chains will, on the basis of information available to the administrator, cause death, disease, behavioral abnormalities, cancer, genetic mutations, physiological malfunction (including malfunctions in reproduction), or physical deformations in such organisms or their offspring.

Upset: An exceptional incident in which there is unintentional and temporary noncompliance with technology-based permit effluent limitations because of factors beyond the reasonable control of the permittee, excluding such factors as operational error, improperly designed or inadequate treatment facilities, or improper operation and maintenance or lack thereof.

Volatile Organic Compounds (VOC): The summation of all quantifiable values greater than 0.01 milligrams per liter (mg/L) for volatile, toxic organic compounds that may be identified elsewhere in this permit. (See the definition for Total Toxic Organics above. In many instances, VOCs are defined as the volatile fraction of the TTO parameter. If the term VOC has application in this permit, the list of toxic organic compounds will be identified, typically in the Limitations and Monitoring Section(s) and/or in an additional Appendix or Attachment to this permit.)

Waters of the State: Neb. Rev. State. 81-1502 (21) states that all waters within the jurisdiction of this state including all streams, lakes, ponds, impounding reservoirs, marshes, wetlands, watercourses, waterways, wells, springs, irrigation systems, drainage systems, and all other bodies or accumulations of water, surface and underground, natural, or artificial, public, or private, situated wholly or partly within or bordering upon the state.

Weekly Average: An effluent limitation that cannot be exceeded. It is calculated by averaging any given pollutant parameter monitoring results obtained during a fixed calendar week. The permittee may start their week on any weekday, but the weekday must remain fixed. The Department approval is required for any change of the starting day.

"X" Day Average: An effluent limitation defined as the maximum allowable "X" day average of consecutive monitoring results during any monitoring period where "X" is a number in the range of one to seven days.

21. Abbreviations

CFR: Code of Federal Regulations

CWA: Clean Water Act

NOI: Notice of Intent

NDEE: Nebraska Department of Environment and Energy

NDEE Title 115: Rules of Practice and Procedure

NDEE Title 117: Nebraska Surface Water Quality Standards

NDEE Title 118: Ground Water Quality Standards and Use Classification

NDEE Title 119: Rules and Regulations Pertaining to the Issuance of Permits

NDEE Title 126: Rules and Regulations Pertaining to the Management of Wastes

NDEE Title 132: Integrated Solid Waste Management Regulations

NPDES: National Pollutant Discharge Elimination System

NPP: Nebraska Pretreatment Program

POTW: Publicly Owned Treatment Works

WWTF: Wastewater Treatment Facility



This guidance document is advisory in nature but is binding on an agency until amended by such agency. A guidance document does not include internal procedural documents that only affect the internal operations of the agency and does not impose additional requirements or penalties on regulated parties or include confidential information or rules and regulations made in accordance with the Administrative Procedure Act. If you believe that this guidance document imposes additional requirements or penalties on regulated parties, you may request a review of the document.

18-002

Revised April 2021

Guidance for Conducting Reapplication Sampling for Publicly Owned Treatment Works (Formerly Known as Pollutant Scan)

The Clean Water Act regulations promulgated under 40 CFR Section 122.21(j) requires all publicly owned treatment works (POTWs) to provide data from a minimum of three samples taken within four and one-half years prior to the date of the permit application. Samples must be representative of the seasonal variation in the discharge from each outfall and the analytical results provided with the NPDES permit application.

The permittee shall monitor the effluent for the parameters set forth below using the analytical methods in 40 CFR Part 136. The analytical data obtained from the monitoring shall be submitted as an attachment to the NPDES application for permit renewal.

All POTWs are required to submit NPDES Combined Form 1 & 2A, *National Pollutant Discharge Elimination System Permit Application for a Facility Discharging Domestic Wastewater* six months prior to permit expiration. These sampling requirements must be met at that time and the analytical results attached. If any pollutants listed below are monitored in the accompanying NPDES permit, redundant sampling will not be necessary.

Required Monitoring for All POTWs

The Clean Water Act regulations promulgated under 40 CFR Section 122.21(j) requires all POTWs to provide analytical results for the following pollutants (Storet code in brackets):

- Biochemical oxygen demand (BOD–5 or CBOD–5) [00310 or 80082]
- Fecal coliform (unless *E. coli* is a current permit requirement) [31615 or 31648]
- Design Flow Rate [50050]
- pH [00400]
- Temperature [00011]
- Total suspended solids [00530]

Additional Monitoring for POTWs with a Design Flow of 0.1 MGD or Greater

The Clean Water Act regulations promulgated under 40 CFR Section 122.21(j) requires all POTWs with a design flow of 0.1 MGD or greater to provide the following additional data, along with the data for the previously listed pollutants for all POTWs:

- Ammonia (as N) [00610]
- Chlorine (total residual, TRC), if chlorine is used for disinfection [50060]

- Dissolved oxygen [00300]
- Nitrate/Nitrite [00630]
- Kjeldahl nitrogen [00625]
- Oil and grease [Hexane extractable method, 00552; the facility may submit sample results for total extractable hydrocarbons, 46116, or petroleum oil, 82180]
- Phosphorus [00665]
- Total dissolved solids [70295]

Additional Monitoring for POTWs with a Design Flow of 1.0 MGD or Greater

The Clean Water Act regulations promulgated under 40 CFR Section 122.21(j) requires POTWs with a Design flow of 1.0 MGD or greater to provide the following additional data, along with all of the previously listed data above:

Metals Monitoring						
Parameters	Units	Storet Code	Result	Method detection limit	Monitoring Frequency	Sample Type
Antimony, Total Recoverable	µg/L	01268	Report	Report	Three times per permit term	24 hour composite
Arsenic, Total Recoverable	µg/L	00978	Report	Report	Three times per permit term	24 hour composite
Beryllium, Total Recoverable	µg/L	00998	Report	Report	Three times per permit term	24 hour composite
Cadmium, Total Recoverable	µg/L	01113	Report	Report	Three times per permit term	24 hour composite
Chromium, Total Recoverable	µg/L	01118	Report	Report	Three times per permit term	24 hour composite
Copper, Total Recoverable	µg/L	01119	Report	Report	Three times per permit term	24 hour composite
Lead, Total Recoverable	µg/L	01114	Report	Report	Three times per permit term	24 hour composite
Mercury, Total Recoverable	µg/L	71901	Report	Report	Three times per permit term	24 hour composite

Nickel, Total Recoverable	µg/L	01074	Report	Report	Three times per permit term	24 hour composite
Selenium, Total Recoverable	µg/L	00981	Report	Report	Three times per permit term	24 hour composite
Silver, Total Recoverable	µg/L	01079	Report	Report	Three times per permit term	24 hour composite
Thallium, Total Recoverable	µg/L	00982	Report	Report	Three times per permit term	24 hour composite
Zinc, Total Recoverable	µg/L	01094	Report	Report	Three times per permit term	24 hour composite

Inorganic Compounds

Parameters	Units	Storet Code	Result	Method detection limit	Monitoring Frequency ^(b)	Sample Type
Cyanide	mg/L	00720	Report	Report	Three times per permit term	24 hour composite
Total Phenolic Compounds	mg/L	70029	Report	Report	Three times per permit term	24 hour composite
Total Phosphorus	mg/L	00665	Report	Report	Three times per permit term	24 hour composite
Hardness, as CaCO ₃	mg/L	00900	Report	Report	Three times per permit term	24 hour composite

Volatile Organic Compounds (VOCs)

Parameters	Units	Storet Code	Result	Method detection limit	Monitoring Frequency	Sample Type
Acrolein	µg/L	34210	Report	Report	Three times per permit term	Grab

Acrylonitrile	µg/L	34215	Report	Report	Three times per permit term	Grab
Benzene	µg/L	34030	Report	Report	Three times per permit term	Grab
Bromoform	µg/L	32104	Report	Report	Three times per permit term	Grab
Carbon Tetrachloride	µg/L	32102	Report	Report	Three times per permit term	Grab
Chlorobenzene	µg/L	34301	Report	Report	Three times per permit term	Grab
Chlorodibromomethane	µg/L	32105	Report	Report	Three times per permit term	Grab
Chloroethane	µg/L	85811	Report	Report	Three times per permit term	Grab
2-Chloroethylvinyl Ether	µg/L	34576	Report	Report	Three times per permit term	Grab
Chloroform	µg/L	32106	Report	Report	Three times per permit term	Grab
Dichlorobromomethane	µg/L	32101	Report	Report	Three times per permit term	Grab
1,1-Dichloroethane	µg/L	34496	Report	Report	Three times per permit term	Grab
1,2-Dichloroethane	µg/L	32103	Report	Report	Three times per permit term	Grab
Trans 1,2-Dichloroethylene	µg/L	34546	Report	Report	Three times per permit term	Grab
1,1-Dichloroethylene	µg/L	34501	Report	Report	Three times per permit term	Grab

1,2-Dichloropropane	µg/L	34541	Report	Report	Three times per permit term	Grab
1,3-Dichloropropylene	µg/L	77163	Report	Report	Three times per permit term	Grab
Ethylbenzene	µg/L	34371	Report	Report	Three times per permit term	Grab
Methyl Bromide	µg/L	34413	Report	Report	Three times per permit term	Grab
Methyl Chloride	µg/L	34418	Report	Report	Three times per permit term	Grab
Methylene Chloride	µg/L	34423	Report	Report	Three times per permit term	Grab
1,1,2,2-Tetrachloroethane	µg/L	34516	Report	Report	Three times per permit term	Grab
Tetrachloroethylene	µg/L	34475	Report	Report	Three times per permit term	Grab
Toluene	µg/L	34010	Report	Report	Three times per permit term	Grab
1,1,1-Trichloroethane	µg/L	34506	Report	Report	Three times per permit term	Grab
1,1,2-Trichloroethane	µg/L	34511	Report	Report	Three times per permit term	Grab
Trichloroethylene	µg/L	39180	Report	Report	Three times per permit term	Grab
Vinyl Chloride	µg/L	39175	Report	Report	Three times per permit term	Grab

Acid Extractable Compounds

Parameters	Units	Storet Code	Result	Method detection limit	Monitoring Frequency	Sample Type
p-Chloro-m-Cresol	µg/L	70021	Report	Report	Three times per permit term	24 hour composite
2-Chlorophenol	µg/L	34586	Report	Report	Three times per permit term	24 hour composite
2,4-Dichlorophenol	µg/L	34601	Report	Report	Three times per permit term	24 hour composite
2,4-Dimethylphenol	µg/L	34606	Report	Report	Three times per permit term	24 hour composite
4,6-Dinitro-o-Cresol	µg/L	03615	Report	Report	Three times per permit term	24 hour composite
2,4-Dinitrophenol	µg/L	34616	Report	Report	Three times per permit term	24 hour composite
2-Nitrophenol	µg/L	34591	Report	Report	Three times per permit term	24 hour composite
4-Nitrophenol	µg/L	34646	Report	Report	Three times per permit term	24 hour composite
Pentachlorophenol	µg/L	39032	Report	Report	Three times per permit term	24 hour composite
Phenol	µg/L	34694	Report	Report	Three times per permit term	24 hour composite
2,4,6-Trichlorophenol	µg/L	34621	Report	Report	Three times per permit term	24 hour composite

Base Neutral Compounds

Parameters	Units	Storet Code	Result	Method detection limit	Monitoring Frequency	Sample Type
Acenaphthene	µg/L	34205	Report	Report	Three times per permit term	24 hour composite
Acenaphthylene	µg/L	34200	Report	Report	Three times per permit term	24 hour composite
Anthracene	µg/L	34220	Report	Report	Three times per permit term	24 hour composite
Benzidine	µg/L	39120	Report	Report	Three times per permit term	24 hour composite
Benzo(a)anthracene	µg/L	34526	Report	Report	Three times per permit term	24 hour composite
Benzo(a)pyrene	µg/L	34247	Report	Report	Three times per permit term	24 hour composite
3,4 Benzo-fluoranthene	µg/L	34230	Report	Report	Three times per permit term	24 hour composite
Benzo(ghi)perylene	µg/L	34521	Report	Report	Three times per permit term	24 hour composite
Benzo(k)fluoranthene	µg/L	34242	Report	Report	Three times per permit term	24 hour composite
Bis (2-chloroethoxy)methane	µg/L	34278	Report	Report	Three times per permit term	24 hour composite
Bis (2-chloroethyl)ether	µg/L	34273	Report	Report	Three times per permit term	24 hour composite
Bis (2-chlorosiopropyl)ether	µg/L	34283	Report	Report	Three times per permit term	24 hour composite

Bis (2-ethylhexyl)phthalate	µg/L	39100	Report	Report	Three times per permit term	24 hour composite
4-bromophenyl phenylether	µg/L	34636	Report	Report	Three times per permit term	24 hour composite
Butyl benzyl phthalate	µg/L	34292	Report	Report	Three times per permit term	24 hour composite

Base Neutral Compounds

Parameters	Units	Storet Code	Result	Method detection limit	Monitoring Frequency	Sample Type
2-Chloronaphthalene	µg/L	34581	Report	Report	Three times per permit term	24 hour composite
4-Chorphenyl phenyl ether	µg/L	34641	Report	Report	Three times per permit term	24 hour composite
Chrysene	µg/L	34320	Report	Report	Three times per permit term	24 hour composite
Di-N-butyl phthalate	µg/L	39110	Report	Report	Three times per permit term	24 hour composite
Di-N-octyl phthalate	µg/L	34596	Report	Report	Three times per permit term	24 hour composite
Dibenzo(A,H) anthracene	µg/L	34556	Report	Report	Three times per permit term	24 hour composite
1,2-Dichorobenzene	µg/L	34536	Report	Report	Three times per permit term	24 hour composite
1,3-Dichlorobenzene	µg/L	34566	Report	Report	Three times per permit term	24 hour composite
1,4-Dichlorobenzene	µg/L	34571	Report	Report	Three times per permit term	24 hour composite

3,3-Dichlorobenzidine	µg/L	34631	Report	Report	Three times per permit term	24 hour composite
Diethyl phthalate	µg/L	34336	Report	Report	Three times per permit term	24 hour composite
Dimethyl phthalate	µg/L	34341	Report	Report	Three times per permit term	24 hour composite
2,4-Dinitrotoluene	µg/L	34611	Report	Report	Three times per permit term	24 hour composite
2,6-Dinitrotoluene	µg/L	34626	Report	Report	Three times per permit term	24 hour composite
1,2-Diphenylhydrazine	µg/L	34346	Report	Report	Three times per permit term	24 hour composite

Base Neutral Compounds

Parameters	Units	Storet Code	Result	Method detection limit	Monitoring Frequency	Sample Type
Fluoranthene	µg/L	34376	Report	Report	Three times per permit term	24 hour composite
Fluorene	µg/L	34381	Report	Report	Three times per permit term	24 hour composite
Hexachlorobenzene	µg/L	39700	Report	Report	Three times per permit term	24 hour composite
Hexachlorobutadiene	µg/L	34391	Report	Report	Three times per permit term	24 hour composite
Hexachlorocyclopentadiene	µg/L	34386	Report	Report	Three times per permit term	24 hour composite
Indeno(1,2,3-CD)pyrene	µg/L	34403	Report	Report	Three times per permit term	24 hour composite

Isophorone	µg/L	34408	Report	Report	Three times per permit term	24 hour composite
Naphthalene	µg/L	34696	Report	Report	Three times per permit term	24 hour composite
Nitrobenzene	µg/L	34447	Report	Report	Three times per permit term	24 hour composite
N-Nitrosodi-N-propylamine	µg/L	34428	Report	Report	Three times per permit term	24 hour composite
N-Nitroso-methylamine	µg/L	34438	Report	Report	Three times per permit term	24 hour composite
N-Nitroso-phenylamine	µg/L	34433	Report	Report	Three times per permit term	24 hour composite
Phenanthrene	µg/L	34461	Report	Report	Three times per permit term	24 hour composite
Pyrene	µg/L	34469	Report	Report	Three times per permit term	24 hour composite
1,2,4-Trichlorobenzene	µg/L	34551	Report	Report	Three times per permit term	24 hour composite

Produced by: Nebraska Department of Environment and Energy, P.O. Box 98922, Lincoln, NE 68509-8922; phone (402) 471-2186. To view this, and other information related to our agency, visit our web site at <http://dee.ne.gov>.